



www.santos.fr

PROFESSIONAL CENTRIFUGAL JUICE EXTRACTOR

“Ezy-clean™ system” #58

Just using your imagination:
create and make lots of fruit and vegetable
juices, mixtures, coulis, sauces...



Internationally patented models





PROFESSIONAL CENTRIFUGAL JUICE EXTRACTOR

FOR A HIGH QUALITY JUICE

The professional centrifugal juice extractor #58 is the result of **Santos 40 years worldwide experience.**

This powerful and easy to clean commercial juicer is dedicated to juice bars, health food stores, hotels, bars, restaurants, cafeterias, ice cream shops, institutions...

Extra wide feeding chute:

Ø 79.5 mm (3")

No need to cut fruits or vegetables

Ezy-clean™ system:


Removable bowl, basket and cover (no tool needed)



Spout height: 215 mm

Accepts glasses, jugs and blender jars

Stainless steel and aluminium body



Pusher: Low effort, constant flow, maximum yield

Filter Basket: obtain a perfect filtration thanks to its very fine sieve (0.5 mm / 0.02" holes) Basket with 0.8 mm holes available on demand

Patented basket steering device ALS (Auto Locking System)

Powerful: Asynchronous motor extremely silent and powerful (1300W)

Safety: Locking - unlocking patented system Electric cut-off and motor breaking when opening the handle



VIDEO



Output

Up to **120** liters of juice per hour



A cleaning brush and a maintenance set (1 shifter rubber ring + 3 seals) are delivered with the appliance.

SANTOS: WORLDWIDE LEADER IN COMMERCIAL JUICERS

WE HAVE THE JUICE EXTRACTOR YOU NEED...

Santos has a 25 years experience in creating juice extractors and developing exclusive patented systems to provide an incomparable reliability and efficiency.

Rigour and quality

All Santos juice extractors are in accordance with the most stringent international regulations: GS, UL, NSF.



#28

1986



#50

2001



#58

2006

The professional art of juicing since 1954

"EZY-CLEAN™ SYSTEM" #58



QUALITY, EXPERTISE, COMFORT

www.santos.fr

Easiness, efficiency and quality:

- No need to cut apples, carrots, tomatoes... thanks to the **wide feeding chute** (Ø79.5 mm).
- **Time-saving:** no tool needed to remove the basket, bowl and cover (exclusive patented Ezy-clean system™).
- **Complete safety:** automatic brake when opening the machine, in compliance with the most stringent international regulations.
- **Maximum juice extraction:** motor and baskets are calibrated, rotating at the ideal speed to extract a maximum of juice (output: up to 120l/h).
- **Perfect filtration** thanks to its very fine sieve (0.5mm holes).
- **Preservation of vitamins:** keeps all the vitamins from fruits and vegetables.



Juice bar version #58J:

This juicer is **delivered with a pulp tube**, which goes directly through your counter to the waste collector below.



Chefs and Patisserie kit #58 I I 0:

This juicer is delivered with

- **2 different baskets:** Standard basket **with 0.5 mm holes**, to make all fruit or vegetable juices / Filtration basket **with 0.8 mm holes**, for more creamy coulis, and for fiber fruits (ex: pineapple)
- **1 wide feed tray** to place fragile fruits, or pour liquid preparations...



TECHNICAL SPECIFICATIONS



Motor

Single phase: 100-120V – 50/60 Hz – 1300 W CE – UL – NSF
220-240V – 50/60 Hz – 1300 W CE – GS

Speed: 3 000 rpm (50 Hz)
3 600 rpm (60 Hz)




Weight

Net: 24 Kg (53 lbs)
Shipping: 27 Kg (59.5 lbs)



APPLIANCE

W: 320 mm / 12.6"
D: 480 mm / 19"
H: 580 mm / 22.8"



SHIPPING BOX

W: 370 mm / 14"
D: 660 mm / 26"
H: 590 mm / 23.2"

SAFETY, STANDARDS, HYGIENE

In accordance with the following regulations

- Machinery directive 2006/42/EC
- Electromagnetic compatibility 2004/108/EC
- Electrical equipment designed for use within certain voltage limits "low voltage" 2006/95/EC
- RoHS directive 2002/95/EC
- Regulation 1935/2004/EC (contact with food)

Harmonized European standards

- EN ISO 12100 - 1 and 2: 2004
- EN 60204-1: 2006
- EN 12547+A1: 2009 Juice extractors
- EN 60335-2-64: 2004 Commercial electric kitchen machines

CE (European standards), GS (Germany) controlled by the LNE (National Test Laboratory), UL (USA) et cUL (Canada), NSF (USA)

Thermal safety

Motor protected by thermal detector and overload protector.

Electrical safety

- On/ off switch detects no voltage.
- All mechanical parts are ground connected.
- Appliances are 100% tested after assembly.

Acoustic safety

Silent asynchronous motor.

Mechanical safety

A friction brake immediately stops the basket when opening the handle.

Hygiene


All removable parts can be put in a dishwasher or easily cleaned with hot soapy water.

PRODUCT: 2-YEAR WARRANTY | MOTOR: 5-YEAR WARRANTY



PROFESSIONAL JUICE EXTRACTOR #58

www.santos.fr



SANTOS

140-150, avenue Roger Salengro - 69120 VAULX-EN-VELIN (Lyon) - FRANCE - Tel. +33 472 37 35 29 – Fax +33 478 26 58 21

Website: www.santos.fr – Email: santos@santos.fr